

Load and Capacity




FIG. 37

Remote HSMP Query Form

Access Level	BWG Engineer
IP Address e.g, 24.221.13.83	<input type="text"/> <i>Note:</i> Enter an IP address -OR- a User ID; not both
User ID e.g, 149219	<input type="text"/> <i>Note:</i> This corresponds to the UUID field in the database
Query Type	<p><input checked="" type="radio"/> Standard queries:</p> <div style="border: 1px solid black; padding: 5px; display: inline-block;">hybs qpsk tstat qpsk stat qpsk gdump qams hostname hybs so0 hybs so1</div> <p>(Hold down the 'CTRL' key to select multiple queries)</p> <p><input type="radio"/> Custom query: <input type="text"/></p> <p><i>Note:</i> Only administrators can perform custom queries</p>
<input type="button" value="Submit Request(s)"/>	
Warning: This could take up to 30 seconds per query; please be patient	

FIG. 38

Hybrid Probe - Phoenix

Start date: Start time:
End date: End time:
Number of entries:
CSV Format

Start time: *12-19-00 00:00:00 GMT*
End time: *12-19-00 18:22:19 GMT*
Currently: *12-19-00 18:22:24 GMT*

IP Address	Active - %	Ratio	Poll - Timer	Ded - Timer	Poll - Tx bytes	Ratio	Ded - Tx bytes	Ratio	Index	Ratio
Total (all)	N/A	N/A	0:0:0:0	0:0:0:0	N/A	N/A	N/A	N/A	N/A	N/A
Average (all)	N/A	N/A	0:0:0:1	0:0:0:1	N/A	N/A	N/A	N/A	1	N/A

FIG. 39